VERNON
ROYAL
LINE

Sauromalus obesus

LOOSE LEAF INDEX

DURABLE INDEX DIVIDERS, SUITABLE FOR SCHOOL OR COMMERCIAL USE



IDEAL FOR CLASSIFYING OR SEPARATING STUDIES, VARIOUS SUBJECTS OR MISCELLANEOUS DATA.

CLASS SCHEDULE

PERIOD TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE MONDAY								
INSTRUCTOR								
COURSE TUESDAY								
INSTRUCTOR								
COURSE WEDNESDAY								
INSTRUCTOR								
COURSE THURSDAY								
INSTRUCTOR								
COURSE FRIDAY								
INSTRUCTOR								
COURSE SATURDAY								
INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

Sauromalus
obesus

SPECIES Saurromalus obesus

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
1	♂		119	Spur of Coyote Canyon, D.C.D.R.S.	4/19/59	imm.
2	♂		163	" " " " "	"	ad. cl. temp. 24.4°C.
7	♂		185	Released from captivity at 15 mile Point, San Bernardino Co., Calif.	5/15/59	very emaciated

SPECIES SAUROMALUS OBESUS TAG NO. _____

CONTAINER NO. R44 SEX ♂ AGE ad? TOE CLIP# 1

WEIGHT(gms) 90.7 SNOUT-VENT LENGTH(mm) 137

DATE JUN 4 1964 SPEEDOMETER _____

LOCALITY 6 mi. E. of Glamis (Purgatory Wash)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 60 (thin)

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) -

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ROCKY ~~SLOPE~~ wash

CHASE 0 FEET

REMARKS: in crevice in rock (noosed it)

Escaped

Sceloporus
graciosus

Sceloporus
graciosus

T.C. #3

SPECIES Sceloporus graciosus

SACK NO. R 7 SEX ♂ AGE imm

WEIGHT(gms 3.5 SNOUT-VENT LENGTH(mm) 50

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0900 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Riparian

REMARKS:

T.C. #4

SPECIES Sceloporus graciosus

SACK NO. B4 SEX ♂ AGE imm

WEIGHT(gms 2.6 SNOUT-VENT LENGTH(mm) 42

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0855 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Riparian

REMARKS:

T.C. # 5

SPECIES Sceloporus graciosus

SACK NO. B3[redacted] SEX ♂ AGE imm

WEIGHT(gms) 2.0 SNOUT-VENT LENGTH(mm) 38

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0907 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Riparian

REMARKS:

TC #6

SPECIES Sceloporus graciosus

SACK NO. B15 SEX ♀ AGE imm.

WEIGHT (gms) 0.7 SNOUT-VENT LENGTH (mm) 31

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0955 CLOUDS 30%

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION N.W. ALTITUDE (ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Riparian

REMARKS:

Sceloporus graciosus

B11 ♀ imm. 7

2.7 41

May 17, 1959 13903

South Fork campground, Barton Flats

San Bernardino Calif.

0945 30

—— ——

N.W. 6300

1-2

18.8 23.2

30.2

Riparian

on log

T.S. #8

SPECIES Sceloporus graciosus

SACK NO. B7 SEX ♀ AGE imm.

WEIGHT(gms) 1.1 SNOUT-VENT LENGTH (mm) 32

DATE May 17, 1959 SPEEDOMETER 13915

LOCALITY San Gorgonio Wilderness area, San Bernardino Co., Calif.

STANDARD TIME 1530 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 7800

WIND VELOCITY (miles/hour) 9-12 TAG NO.

AIR TEMPERATURE (30") 17.0 °C (1cm) 26.0 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 50.0 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Coniferous forest

REMARKS:

T.C. #9

SPECIES Sceloporus graciosus

SACK NO. B4 SEX ♀ AGE imm (S)

WEIGHT(gms) 1.6 SNOUT-VENT LENGTH (mm) 38

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0853 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO.

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 30.2 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Riparian

REMARKS: on a log

Sceloporus graciosus

Y9 ♂ ad. 8

Aug. 14, 1959 2853

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

0935 0

— —

0 5700

0

23.8 31.2

46.0 34.8

yellow pine forest

came from buck brush into the open on soil, No chase.

Dead on arrival at UCR

Sceloporus graciosus

— — ad.

Aug. 26, 1959 30350

½ mi S. of Blue Ridge Campground

1730	0
—	35
0	8000
0	
19.0	20.4
29.2	34.2

coniferous forest

in sun on rock. No chase. Escaped from Frank Awbrey while being removed from noose.

SPECIES *Sceloporus graciosus* TAG. NO. [redacted]

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE *Sept. 4, 1959* SPEEDOMETER —

LOCALITY *San Gorgonio Wilderness Area*

COUNTY *San Bernardino* CALIF.

STANDARD TIME *1600* CLOUDS(% overcast) *0*

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION *0* ALTITUDE(ft.) *7800*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) *28.0* °C AIR TEMP(1 cm) *31.8* °C

SOIL SURFACE TEMP *47.2* °C CLOACAL TEMP *35.2* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *coniferous forest*

CHASE *30* FEET

REMARKS: *in sun on log. Escaped before it could be toe-clipped.*

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Near Black Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: escaped. In sun on rock

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on rock

Sent to Don Hunsaker — San Diego State College.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in broken shade on rock

Sent to D. Hunsaker – S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B53 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B53 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S. D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE May 20, 1962 SPEEDOMETER _____

LOCALITY Black Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on ground

Sent to D. Hunsaker – S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 50 FEET

REMARKS: in sun on ground

Sent to D. Hunsaker – S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker – S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1962 SPEEDOMETER _____

LOCALITY Marion Mt. campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: in sun on rock

Sent to D. Hunsaker — S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 19 1982 SPEEDOMETER _____

LOCALITY Fern Basin Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: in sun on stump

Sent to D. Hunsaker - S.D. State

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 3 1962 SPEEDOMETER _____

LOCALITY Azalea Trails Camp (Girl Scouts)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: in sun on ground

(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Table Mt. Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. – SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on ground
(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. – SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Blue Ridge Campground

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 50 FEET

REMARKS: in sun on ground

(Released)

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE APR 24 1969 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C. AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 35

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) -------- SNOUT-VENT LENGTH(mm) 42

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. [redacted]

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) _____

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) -------- SNOUT-VENT LENGTH(mm) 37

DATE APR 24 1965 SPEEDOMETER _____

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE CONIFER

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 36

DATE APR 24 1963 SPEEDOMETER _____

LOCALITY 2 mi. N. of Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1555 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 14.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~337~~

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE MAY 16 1963 SPEEDOMETER

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE / FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) -------- SNOUT-VENT LENGTH(mm) 32

DATE MAY 18 1980 SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) -------- SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY _____ CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY Black Mt.

COUNTY _____ CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~360~~

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 34

DATE MAY 20 1963 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT PINYON-JUNIPER FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 32

DATE _____ SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE _____ SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY _____ CALIFORNIA

STANDARD TIME ~925 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE ? FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY _____ CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YUCCA INVENTORY

CHASE ? FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE [illegible] SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE 1 mm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 25 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE Imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIFORNIA

STANDARD TIME 1640 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE JUN 5 1983 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES DELPHINORUS UNACIOBUS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY _____

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW [illegible]

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE Imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE JUL 15 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE JUL 1 6 1968 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE [illegible] SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUL 16 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE JUL 1[illegible] 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. ~~B54~~ SEX ♂ AGE ad ? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY ~~SAN BERNARDINO~~ LOS ANGELES CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 5 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE JUL 18 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY ~~SAN BERNARDINO~~ LOS ANGELES CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE JUL 19 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES ~~SAN BERNARDINO~~ CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B78 SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released UCR

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released in shade

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 11 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 20

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 10-12 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 40

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. B70 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE AUG 13 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1540 CLOUDS(% overcast) 40

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released UCR

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE AUG 16 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1735 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. ~~534~~

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1963 SPEEDOMETER

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on stump

Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: in sun on ground

Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: in sun on ground
Released.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY _____ CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on log

Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1988 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION ° ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) ° ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE SEP 7 1983 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: in shade on rock

Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX f AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 8 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 15 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C. AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE _____ SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: _____

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE SEP 7 1966 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 7 1969 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE SEP 7 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE / FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: Released.

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 8 1963 SPEEDOMETER _____

LOCALITY Snow Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 7000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 14 1969 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS GRACIOSUS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 14 1963 SPEEDOMETER _____

LOCALITY Pine Cove

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: Released

In sun on ground


Sceloporus
magister

Sceloporus
magister

TC # 6

Sceloporus magister

B 18 ♀ juv.

39

Sept. 18, 1958 12494

Hesperia, San Bernardino Co., Calif.

0825 none

— 34

none 3700

0

26.2

40.4

On Joshua Tree

TC 427

Sceloporus magister

R 12 ♀ imm.

66

Sept. 18, 1958 12495

Hesperia, San Bernardino Co., Calif.

0845 none

(day) 34

none 3700

0

29

40.8

On Joshua tree.

Sceloporus magister

Y9 ♀ Imm

63

9/14/53 12980

U.M.E. & Chem, Inc.

Calif.

1615 none

none

0

37.8

44.5

Mesquite

TC #7

Sceloporus magister

B26 ♀ juv.

3.3 44

Oct. 18, 1958 11881

5 mi. E. of Phelan, San Bernardino Co., Calif.

1029 75%

— ~5

S 3710

5-7

29.3

42.2

In Joshuatree-juniper association.
On telephone pole
↓

T.C. # 4

SPECIES Sceloporus magister

SACK NO. B16 SEX ♂ AGE imm.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 49

DATE Apr. 14, 1959 SPEEDOMETER 1775

LOCALITY 5 mi. W. of Desert Springs, San Bernardino Co., Calif.

STANDARD TIME 1445 CLOUDS 80% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft) 3560

WIND VELOCITY (miles/hour) 8 TAG NO. _____

AIR TEMPERATURE (30") 26.2 °C _____ °F

~~ROAD~~ Air TEMPERATURE (1cm) 31.6 °C _____ °F

SOIL SURFACE TEMPERATURE 45.0 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Joshua tree woodland

REMARKS: Taken from Joshua tree

Sceloporus magister

B30 ♀ imm. 10

49

May 9, 1959 5341

3 mi. S.E. of Hesperia

San Bernardino Calif.

1430 15

— —

0 3200

0

24.6 31.0

46.6

Joshua tree woodland

Found when an old Joshua tree stump was broken open.

Sceloporus magister

R17 ♀ imm.

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0920 0

— 35

N.W. 4100

5-7

26.0 28.0

42.8 36.2

JOSHUA TREE WOODLAND

in sun on woodpile. 2ft. chase.

Dead on arrival at U.C.R.

Sceloporus magister

B6 ♂ imm. 1

4.8 53

AUG 25 1959 30196

Lovejoy Buttes

LOS ANGELES

0750 0

– 45

0 2750

0

25.4 25.5

32.6 32.8

JOSHUA TREE WOODLAND

in sun on branch of Joshua tree.

2 ft. chase. ~~David Reuther kept it.~~

Released 9/8/59 on palm tree near Life Sciences auditorium.

Sceloporus magister

B14 ♀ juv. 2

1.5 34

AUG 25 1959

30202

Lovejoy Buttes

LOS ANGELES

0930 0

— 39

0 2550

0

29.8 32.4

45.8

creosote bush scrub

in shade on fencepost, 6 ft. chase. Just hatched recently. ~~David Reuther kept it.~~ Released 9/8/59 on palm tree near Life Sciences auditorium.

SPECIES [illegible] TAG. NO. _____

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP # 22

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE [illegible] SPEEDOMETER 31339

LOCALITY Saddleback Buttes

COUNTY LOS ANGELES CALIF.

STANDARD TIME 1112 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION S.W. ALTITUDE(ft.) 2600

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 33.2 °C

SOIL SURFACE TEMP 45.2 °C CLOACAL TEMP 35.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT farmland

CHASE 0 FEET

REMARKS: in sun on side of power pole. Toe clipped + released at NoE. corner of Ave. K and 150th St. E.

SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. B78 SEX ♂ AGE imm. TOE CLIP# 1

WEIGHT(gms) 11.2 SNOUT-VENT LENGTH(mm) 62

DATE APR 22 1962 SPEEDOMETER _____

LOCALITY Saddleback Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 2600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on fencepost

Released on Darwin Hall (4/25/62)

SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. B52 SEX ♀ AGE imm TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE MAY 13 1962 SPEEDOMETER _____

LOCALITY 14 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in old tire in a pile of tires at the edge of road.

Released on LSB aud. — 5/25/62.

SPECIES Sceloporus magister TAG NO. _____

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE MAY 13 1962 SPEEDOMETER _____

LOCALITY 14 mi. W. of Glamis (at Highline Canal)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on top of pile of old tires at edge of road. (Kept as a pet)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Saddleback Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2650

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 2 FEET

REMARKS: in sun on trunk of Joshua tree
(Released)

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JUL 25 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 3 FEET

REMARKS: on Trunk of Joshua Tree with ad ♂.

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 18 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in shade in Joshua tree
(Released)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 41

DATE AUG 21 1962 SPEEDOMETER _____

LOCALITY Lovejoy Buttes

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 10 FEET

REMARKS: in sun on fence post

(Kept for growth data)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B80 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 39

DATE SEP 23 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on log
(kept for growth data)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. 880 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 2.3 SNOUT-VENT LENGTH(mm) 39

DATE SEP 23 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 4 FEET

REMARKS: in sun on log

(kept for growth data)

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. B77 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE MAY [illegible] SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: Released

SPECIES SCELOPORUS MAGISTER TAG NO. _____

CONTAINER NO. 877 SEX ♂ AGE Imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE MAY 3 1983 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 10 FEET

REMARKS: Released

Sceloporus
occidentalis

Sceloporus
occidentalis

T.C. # 6

SPECIES Sceloporus occidentalis

SEX Bottle 3 ♂ AGE Juv.

WEIGHT (gm) SNOUT-VENT LENGTH 32

DATE 9/12/58

LOCALITY Canyon Crest Dr. 2 mi. So. UCR.
Riverside Co. Calif.

STANDARD TIME 0910 CLOUDS None

WIND (Day) RELATIVE HUMIDITY

WIND DIRECTION 0 INTENSITY 1200

WIND VELOCITY (MPH) 0

AIR TEMPERATURE 22.4 °C

Rock (shade) TEMPERATURE 21.8 °C

Rock (sun) 36.2 °C

SOIL TEMPERATURE °C

HABITAT Rocky outcrop in open coastal chaparral

COMMENTS

T.C #7

Sceloporus occidentalis

Bottle 15 ♂ Juv.

34

9/12/58

2 mi. So UCR on Canyon Crest Dr.

Riverside Co. Calif.

0940 None

(Day)

1200

0

24.3

Rocky outcrop in open coastal Chaparral

T.C. #8

SPECIES: Sceloporus occidentalis

SAMPLE NO. B34 SEX ♂ AGE Juv

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE 9/15/58 TIME(PST) —

LOCALITY UCR Campus

STANDARD TIME _____ CLOCK Noon

MOON Day RELATIVE HUMIDITY(%) _____

WIND DIRECTION E ALTITUDE(ft) 1200

WIND VELOCITY(MPH) Slight Breeze

AIR TEMPERATURE _____ °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE _____ °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rock outcrops in open coastal Chaparral

REMARKS: _____

T.C. # 9

Sceloporus occidentalis

♂ Juv.

42

9/16/58

UCR Campus

0910 None

Day ~30%

S 1200

Light Breeze

Rock outcrops in open coastal chaparral

Has very distinct longitudinal stripes

TC#10

~~Sceloporus~~ occidentalis

B1 ♂ Tuw

9/18/58 12491

3 mi. S. of Hesperia, San Bernardino Co., Calif.

0610 none

—

none 3700

0

17

Scattered Joshua trees.

Sceloporus occidentalis

B27 ♀ Juv

Sept. 18, 1958 12491

3 mi. S. of Hesperia, San Bernardino Co., Calif.

0618 none

←

none 3700

0

17

Scattered Joshua trees.

TC # 12

Sceloporus occidentalis

B 27 ♀ I

39

9/18/58 12491

3 mi. S. of Hesperia, San Bernardino Co., Calif.

0615 none

—

none 3700

0

17

Scattered Joshua trees.

TC #13

Sceloporus occidentalis

B 32 ♀ imm.

3.6

Oct. 18, 1958 11881

5 mi. E. of Phelan, San Bernardino Co., Calif.

1025 75 %

— ~5

5 3690

5-7

29.3

42.2

Trunk of Joshua tree.

T.C. 14

Sceloporus occidentalis

Y11 ♂ imm.

3.5 44

Jan. 17, 1959 99786

2 mi. S. of UCR campus, Riverside Co., Calif.

1310 none

—

none 1200

0

27 °C

Rock (sun) 33.8 °C

(sun) 44.4

coastal sage scrub — stream bed.

TC # 15

SPECIES Sceloporus ~~stansburiana~~ occidentalis

SACK NO. 89 SEX ♀ AGE imm.

WEIGHT(gms) 3.6 SNOUT-VENT LENGTH (mm) 47

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1350 CLOUDS 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft) 4000

WIND VELOCITY (miles/hour) 9-12 TAG NO.

AIR TEMPERATURE (30") 24.0 °C (1cm) 26.0 °C

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 38.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Open Joshua Tree woodland

REMARKS: caught on fence post

Sceloporus occidentalis

B 31 ♂ juv.

4.1 48

Nov. 22, 1958 98835

3 mi. S. of UCR, Riverside Co., Calif.

1140 5%

— 30

none 1100

0

28.2 °C

°C

43.5 °C

°C

Rock outcrop in chaparral.

Fed to lizards

Sceloporus occidentalis

B33 ♂ juv.

2.4 40

Nov. 22, 1958 98835

3 mi. S. of UCR, Riverside Co.,
Calif.

1210 5%

— 30

none 1100

28.2

43.5

Rock outcrop in chaparral

Fed to lizards

SPECIES Sceloporus occidentalis

SACK NO. R7 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0904 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO. _____

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 30.2 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Riparian

REMARKS: Dead on arrival — discarded

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 20

CONTAINER NO. – SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE APR 21 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: Released on Darwin Hall

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 21

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE APR 21 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Released on Darwin Hall

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. B55 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 3 1962 SPEEDOMETER _____

LOCALITY Azalea Trails Camp (Girl Scouts)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1515 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on rock (Released)

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Wrightwood

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: in sun on telephone pole

(Released)

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 29 1962 SPEEDOMETER _____

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on log

Escaped

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 48

DATE MAY 20 1[illegible] SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES [illegible] OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE [illegible] SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY [illegible] CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE [illegible] SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT WHITE FIR FOREST

CHASE 50 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE ? FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE JUN 5 1963 SPEEDOMETER _____

LOCALITY Barton Flats

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 6300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1003 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Given to Herb Brown

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES Sceloporus occidentalis TAG NO. ~~642~~

CONTAINER NO. _____ SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE

CHASE 2 FEET

REMARKS: Released

SPECIES Sceloporus occidentalis TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: Released

Sceloporus
orcutti

Sceloporus
orcutti

T.C.16

SPECIES Sceloporus orcutti

SACK NO. Y 11 SEX ♀ AGE imm.

WEIGHT(gms) 2.5 SNOUT-VENT LENGTH(mm) 42

DATE Jan. 17, 1959 SPECIMEN NUMBER 99786

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1320 CLOUDS none

MOON — SEASON CONDITIONS —

WIND DIRECTION none ALTITUDE 1200

WIND VELOCITY(MILES/HOUR) 0 FOG NO.

AIR TEMPERATURE 27 °C °F

~~ROAD~~ Rock (sun) TEMPERATURE 33.8 °C °F

SOIL SURFACE (sun) TEMPERATURE 44.4 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT rock outcrop, coastal sage scrub.

REMARKS:

T.C. #6

SPECIES Sceloporus orcutti

SNCR NO. B27 SEX ♀ AGE juv.

WEIGHT (gms) 2.4 SNOUT-VENT LENGTH (mm) 39

DATE Mar. 3, 1959 SPECIMEN NO. 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1310 CLOUDS none

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION N.W. ALTITUDE 1200

WIND VELOCITY (miles/hour) 1-5 [illegible]

AIR TEMPERATURE 27.5 °C °F

~~ROCK~~ Rock TEMPERATURE 42 °C °F

SOIL SURFACE TEMPERATURE 42.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS:

Sceloporus orcutti

R17 ♀ imm. 7

42

Apr. 11, 1959 —

UCR campus

Riverside Calif.

0920 none

— —

S.E. 1200

1-3

27.8 30.0

31.4

rock outcrop in coastal sage scrub.

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. B19 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 44

DATE Feb. 21, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 0907 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.6 °C AIR TEMP(1 cm) 20.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP 27.6 °C SUBSTRATE TEMP _____ °C

HABITAT rock in coastal sage scrub

CHASE 8 FEET

REMARKS: in sun on a rock

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. B35 SEX ♀ AGE juv. TOE CLIP# 5

WEIGHT(gms) 3.9 SNOUT-VENT LENGTH(mm) 45

DATE Feb. 27, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast) 25 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 20.6 °C

ROCK SURFACE TEMP 27.4 °C SUBSTRATE TEMP _____ °C

HABITAT rock in coastal sage scrub

CHASE 30 FEET

REMARKS: in shade on rock

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. B60 SEX ♂ AGE juv. TOE CLIP# 7

WEIGHT(gms) 5.5 SNOUT-VENT LENGTH(mm) 49

DATE March 6, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0-3 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) NW ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.4 °C AIR TEMP(1 cm) 21.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.6 °C

ROCK SURFACE TEMP 24.2 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 4 FEET

REMARKS: in open on rock

SPECIES Sceloporus orcutti TAG NO. _____

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 6, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 - 3 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) NW ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.4 °C AIR TEMP(1 cm) 21.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP 24.2 °C SUBSTRATE TEMP _____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 0 FEET

REMARKS: in open on a rock. Traded to Dave Young for an adult ♂.

SPECIES Sceloporus orcutti TAG. NO. [redacted]

CONTAINER NO. B25 SEX ♂ AGE juv. TOE CLIP # 8

WEIGHT(gms) 3.8 SNOUT-VENT LENGTH(mm) 45

DATE Mar. 7, 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.4 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP 35.4 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on rock — hanging head down

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B20 SEX ♀ AGE juv. TOE CLIP# 10

WEIGHT(gms) 3.2 SNOUT-VENT LENGTH(mm) 42

DATE MAR 13 1961 SPEEDOMETER _____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.W. ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP _____ °C

HABITAT chaparral

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. 862 SEX ♀ AGE juv. TOE CLIP# 11

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 42

DATE MAR 13 [illegible] SPEEDOMETER _____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.8 °C AIR TEMP(1 cm) 29.5 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP _____ °C

HABITAT chaparral

CHASE 1 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B59 SEX ♀ AGE juv. TOE CLIP# 12

WEIGHT(gms) 3.5 SNOUT-VENT LENGTH(mm) 43

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP 42.8 °C SUBSTRATE TEMP _____ °C

HABITAT ~~in sun~~ coastal sage scrub

CHASE 25 FEET

REMARKS: in sun on a rock

SPECIES _____ TAG NO. _____

CONTAINER NO. B59 SEX ♀ AGE juv. TOE CLIP# 13

WEIGHT(gms) 3.0 SNOUT-VENT LENGTH(mm) 41

DATE MAR 20 [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.2 °C

ROCK SURFACE TEMP 42.8 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B25 SEX ♀ AGE juv. TOE CLIP# 14

WEIGHT(gms) 3.8 SNOUT-VENT LENGTH(mm) 45

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 24.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B24 SEX ♂ AGE juv. TOE CLIP# 15

WEIGHT(gms) 4.8 SNOUT-VENT LENGTH(mm) 48

DATE MAR 23 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast) (thick haze) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 1

WEIGHT(gms) 5.1 SNOUT-VENT LENGTH(mm) 48

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.2 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on rock

Released at UCR.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♀ AGE juv. TOE CLIP# 2

WEIGHT(gms) 5.0 SNOUT-VENT LENGTH(mm) 48

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.8 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: in sun on rock

Released at UCR.

SPECIES SCELOPORUS ORCUTTI TAG. NO. _____

CONTAINER NO. B19 SEX ♀ AGE juv. TOE CLIP# 3

WEIGHT(gms) 2.2 SNOUT-VENT LENGTH(mm) 38

DATE _____ SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

Released at UCR.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♀ AGE juv. TOE CLIP# 4

WEIGHT(gms) 9.1 SNOUT-VENT LENGTH(mm) 60

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 1 FEET

REMARKS: in sun on rock

Released at UCR

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B63 SEX ♂ AGE juv. TOE CLIP# 6

WEIGHT(gms) 2.5 SNOUT-VENT LENGTH(mm) 43

DATE APR 11 1981 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub.

CHASE 0 FEET

REMARKS: in sun on rock

Released at UCR.

Left front leg missing entirely.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE SEP 27 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 15 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE SEP 27 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE [illegible] SPEEDOMETER _____

LOCALITY Val Verde

COUNTY [illegible] CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 75%

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.0 °C

HABITAT [illegible]

CHASE 0 FEET

REMARKS: in shade on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE OCT 2 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 75 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 30.0 °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in shade on large rock. Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE OCT 3 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.6 °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: Released at capture site

In sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 14

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE OCT 3 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 25.0 °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released at capture site

In shade on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE OCT 3 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 34.8 °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released at capture site

In broken shade on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE OCT 3 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released at capture site
In shade on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B76 SEX ♀ AGE juv. TOE CLIP# 20

WEIGHT(gms) 1.7 SNOUT-VENT LENGTH(mm) 35

DATE NOV 2 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: in sun on rock

Released at LSB, UCR 11/2/61.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. B76 SEX ♂ AGE juv. TOE CLIP# 30

WEIGHT(gms) 2.6 SNOUT-VENT LENGTH(mm) 46

DATE NOV 2 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

Released at LSB, UCR 11/2/61.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE NOV 3 1981 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Released at capture site

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 12

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 35

DATE JAN 8 1968 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.4 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky outcrop COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: in sun in rock crevice

Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. – SEX ♂ AGE ad TOE CLIP# 13

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE JAN 8 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 24.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky outcrop COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

Very thin animal, but very active.

Perhaps it has just emerged from

hibernation. Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE FEB 4 1983 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 14

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 37

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

Released at capture site.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 15

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1348 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Released at capture site.

SPECIES CAMLOPORUS CIRCUTTI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# 16

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE FEB 4 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 30 FEET

REMARKS: Released at capture site.

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 5 FEET

REMARKS: in sun on rock

Given to Herb Brown

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 101

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1047 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: in sun on rock

Given to Herb Brown

SPECIES SCELOPORUS OCCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE JAN 8 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: in partial shade

Given to Herb Brown

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 104

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 4 FEET

REMARKS: in sun on rock

Given to Herb Brown

SPECIES SCELOPORUS CIRCUITI TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JUNE 1 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE JAN 1 6 [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: under rock ledge — only tail visible.
Released.

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE Juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 37

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 3 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 4 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION o ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 10 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 20 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE JAN 1 6 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 0 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 30 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JAN 1 6 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 3 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE [illegible]

CHASE 3 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JAN 16 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 20 FEET

REMARKS: Released

SPECIES _____ TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE _____ SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE FEB 4 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade on rock

Given to Herb Brown

SPECIES [illegible] TAG NO. _____

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 101

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) 17.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 50 FEET

REMARKS: Given to Herb Brown

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. – SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE FEB 24 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 1 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 111

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 6 FEET

REMARKS: Released

SPECIES CROTALUS ORGANUM TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: Released

Recaptured at 1500 — cloacal temp. then was 30.0°C. (no chase).

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 0 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE [illegible] SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 106

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: Released

Recaptured at 1530 (no chase) — cloacal temp. then was 32.0°C.

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CONIFER-SAGE SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES SCELOPORUS ORCUTTI TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: Released

SPECIES [illegible] TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE FEB 24 1964 SPEEDOMETER _____

LOCALITY UCR

COUNTY [illegible] CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 6 FEET

REMARKS: Released

SPECIES COLUBER CIRCUITUS TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE FEB 24 1984 SPEEDOMETER _____

LOCALITY UCR

COUNTY _____ CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) 19.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES *Sceloporus orcutti*

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
1	♂		106	UCR campus, Riverside, Calif	7/3/58	breeding colors (bright)
2	♀		90	"	"	
3	♂		94	"	"	
4	♀		82	"	"	
5	♀		88	"	"	
6	♀		90	"	7/7/58	
7	♀		86	"	"	
8	♂		108	"	"	breeding colors (bright)
9	♂		85	"	"	
10	♀		81	"	"	
11	♂		94	"	"	released from lizard cage.
12	♂		98	"	"	released from lizard cage
13	♀		94	"	"	

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
14	♂		105	UCR campus, Riverside, Calif.	7/8/58	lower back lacks breeding color.
15	♀		84	"	"	
16	♂		101	"	"	
17	♂		97	"	"	
18	♀		95	"	"	
19	♀		92	"	"	missing left hind foot. Returned 9/2/58.
20	♂		67	"	7/9/58	immature
21	♀		61	"	"	"
22	♂		95	"	7/14/58	
23	♀		88	"	"	
24	♀		63	"	"	released from lizard cage
25	♀			"	7/10/58	
26	♀		82	"	7/14/58	released from lizard cage

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
27	♂		95	UCR campus, Riverside, Calif.	7/15/58	
28	♀		85	"	"	
29	♂		88	"	7/16/58	
30	♂		113	"	"	full breeding color
31	♂		94	"	"	
32	♀		86	"	"	
33	♂		90	"	7/3/58	
34	♂		62	"	7/16/58	imm.
35	♂		92	"	7/12/58	caught near greenhouse
36	♂		70	"	7/16/58	imm.
37	♀		92	"	7/29/58	
38	♂		106	"	7/16/58	
39	♀		86	"	"	returned to rock 9/2/58

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
40	♀		68	UCR campus, Riverside Co., Calif.	7/16/58	imm.
41	♂		68	"	"	imm.
42	♀		66	"	"	imm.
43	♀		78	"	"	imm.
44			65	"	7/17/58	imm.
45	♂		109	"	7/18/58	just molted. regenerating tail.
46	♂(?)		64	"	"	imm.
47	♀		59	"	7/22/58	imm.
48	♀		63	"	"	imm.
49	♂		104	"	7/29/58	breeding colors.
50	♂		65	"	"	imm.
51	♂		85	"	"	caught by headhouse. (#1)
52	♂		62	"	7/30/58	imm.

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
53	♀		66	UCR campus, Riverside Co., Calif.	7/30/58	imm.
54	♀		95	"	7/31/58	partly molted.
55	♀		85	"	"	
56	♀		84	"	"	
57	♀		85	"	8/4/58	
58	♂		82	"	"	lost its tail during capture.
59	♀		93	"	"	
60	♀		74	"	7/31/58	
61	♀		70	"	8/6/58	imm.
62	♂		95	"	"	
63	♂		92	"	"	molting
64	♀		65	"	"	imm.
65	♀		75	"	8/7/58	imm.

SPECIES: Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
66	♂		86	UCR campus, Riverside Co., Calif.	8/7/58	
67	♀		74	"	"	imm.
68	♀		86	"	"	
69	♀		93	"	"	
70	♀		91	"	7/17/58	caught near greenhouses.
71	♂		105	"	8/8/58	breeding colors
72	♂		92	"	"	ant. ½ of body molted.
73	♀		70	"	8/6/58	imm.
74	♂		70	"	8/8/58	imm.
75	♂		83	"	"	
76	♀		86	"	"	lost tail in capture.
77	♀		98	"	"	
78	♂		68	"	"	imm. released 50' S.W. of pt. of capture.

SPECIMEN: *Sceloporus orcutti*

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
79	♂		103	UCR campus, Riverside Co., Calif.	8/11/58	about to molt.
80	♂		71	"	8/12/58	imm.
81	♀		82	"	8/12/58	
82	♂		82	"	9/15/58	
83	♀		68	"	"	imm.
84	♀		83	"	"	

Sceloporus orcutti

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
0 Toes 1,2 gone	♂			UCR campus, Riverside, Calif.	7/8/58	released from lizard cage.
100	♀		80	"	7/16/58	
~~70~~	~~♀~~		~~91~~	~~"~~	~~7/17/58~~	~~caught near greenhouses.~~
127	♀		81	"	7/15/58	
240 *	♂			"	7/22/58	caught near headhouse 16
190	♂		109	"	7/26/58	
~~200~~					~~7/~~	
201	♀		73	Canyon Crest Dr. 2 mi So. U.C.R.	9/4/58	Released in Lizard cage
1	♂	5.1	48	Mt. Rubidoux, Riverside Co., Calif.	4/11/61	juv. Released UCR
2	♀	5.0	48	"	"	juv. "
3	♀	2.2	38	"	"	juv. "
4	♀	9.1	60	"	"	juv. "

* missing toes 2+3 on left hind foot (30+40), 1 and 4 on right hind foot (70 + 100).

No.	Sex	Weight (gms)	Length (mm.)	Locality	Date	
6	♂	2.5	43	Mt. Rubidoux, Riverside Co., Calif.	4/11/61	juv. Released UCR
5	♀	5.6	50	UCR, Riverside Co., Calif.	4/27/61	juv. "
7	♂	4.3	47	"	"	juv. "

Sceloporus orcutti

Sceloporus orcutti

UCR campus, Riverside Co., Calif

		Date Recaptured	
65 (♀)	8/7/58	1/18/61	276 (SE)
63 (♂)	8/6/58	1/31/61	57 (NW)
29 (♂)	7/16/58	2/7/61	280 (S)
3 (♂)	7/3/58	2/21/61	210 (NW)

Sceloporus orcutti

UCR campus

		Date Recaptured	
		(# still readable)	
13 (♀)	7/7/58	4/11/59	179 (E) (crossed 2 roads)
8 (♂)	7/7/58	7/7/59	0
31 (♂)	7/16/58	7/7/59	80 (SE)
201 (♀)	9/4/58	5/24/60	?

Sceloporus orcutti

		Date Resighted							UCR	campus		
2	(♀)	7/3/58	7/7/58	7/22/58	7/23/58	7/23/58	7/25/58	0	0	58	30	58
5	(♀)	7/3/58	7/7/58	7/15/58	7/25/58			0	100	154		
[1] 33	(♂)	7/3/58	7/7/58	7/22/58	7/23/58	7/23/58	7/23/58	0	0	0	30	0
1	(♂)	7/3/58	7/8/58	7/10/58	7/15/58	7/24/58	7/25/58	30	0	40	118	4
12	(♂)	7/7/58	7/8/58	8/7/58				20	600+			
[1] 7	(♀)	7/7/58	7/9/58	7/9/58	7/10/58	7/15/58	7/23/58	0	20	0	0	0
8	(♂)	7/7/58	7/9/58	7/10/58	7/24/58	7/25/58	7/25/58	20	0	57	0	150
0	(♂)	7/8/58	7/9/58					0				
13	(♀)	7/7/58	7/9/58	7/10/58	7/16/58	7/23/58	7/24/58	0	0	0	0	0

Sceloporus orcutti

UCR campus

	Date Resighted									
16 (♂)	7/8/58	7/10/58	7/24/58				129	129		
I 18 (♀)	7/8/58	7/15/58	7/24/58	7/25/58	7/25/58	7/25/58	0	0	0	60	120
11 (♂)	7/7/58	7/15/58					92			
14 (♂)	7/8/58	7/16/58	7/23/58				65	90		
44 (imm)	7/17/58	7/18/58	7/22/58				0	0		
127 (♀)	7/15/58	7/16/58	7/22/58				0	0		
3 (♂)	7/3/58	7/23/58	7/25/58	7/25/58	7/25/58		15	26	26	15
17 (♂)	7/8/58	7/23/58	7/24/58	7/25/58	7/25/58		0	135	30	135
240 (♂)	7/22/58	7/24/58	8/4/58	8/6/58	8/20/58		0	10	0	0

Sceloporus orcutti

UCR campus

			Date Resighted			
2						
33	(♂)	7/3/58	7/24/58	7/25/58	10	30
41	(imm.) (♂)	7/16/58	7/24/58		150	
50	(imm.) (♂)	7/29/58	8/4/58	8/6/58	0	0
52	(imm.) (♂)	7/29/58	8/4/58		0	
60	(imm?) (♀)	7/31/58	8/4/58		0	
43	imm. (♀)	7/16/58	8/4/58	4/11/59	0	0
51	(♂)	7/29/58	8/4/58		20	
56	(♀)	7/31/58	8/4/58		0	
100	(♀)	7/16/58	8/6/58		0	

Sceloporus orcutti

UCR campus

		Date	Resighted				
38	(♂)	7/16/58	8/6/58			130	
29	(♂)	7/16/58	8/6/58	8/7/58		0	0
21	(imm.) (♀)	7/9/58	8/7/58			0	
30	(♂)	7/16/58	8/7/58			75	
31	(♂)	7/16/58	7/17/58			0	
2 7	(♀)	7/7/58	7/24/58	7/25/58	7/25/58	0	116 150
63	♂	8/6/58	8/20/58			50	
36	(♂) (imm)	7/16/58	4/11/59			0	
2 18	(♀)	7/8/58	7/25/58	7/25/58		116	172

Sceloporus orcutti UCR campus

			Date Resighted	
40	(♀)	(imm) 7/16/58	7/25/58	6

Distances Measured (feet)

65 to (65) — 276
8 to temp. recording rock — 57
16 to 0 — 129
1 to 12 — 118
3 to 6 — 26
3 to (3) — 210
63 to (63) — 57
29 to (29) — 280
13 to (13) — 179
14 to 13 — 65
14 to 41 — 90
5 to 1st outcrop east — 90
11 to same as above — 92
5 to 30 ft. west of 40 — 154
1 to 1st outcrop east — 40
17 to (17) — 135
1 to 33 — 172
40 to 11 — 48
15 to 41 — 10
13 to 15 — 20
13 to 41 — 30
38 to 43 — 130
2 to 33 — 28
7 to 0 — 116
1 to 18 — 32
67 to 81 — 14
1 to 0 — 116

13 = # of rock that animal caught on first.
(13) = place where that numbered animal seen or caught later.


Snakes


Snakes

SPECIES Arizona elegans TAG. NO. _____

CONTAINER NO. R14 SEX _____ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE April 7, 1961 SPEEDOMETER 46219

LOCALITY 4 mi. S.E. of Desert Hot Springs

COUNTY Riverside CALIF.

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 15.5 °C

AIR TEMP(30 in) 15.8 °C AIR TEMP(1 cm) 16.6 °C

SOIL SURFACE TEMP 15.5 °C CLOACAL TEMP 16.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in road

Released near 1000 Palms 4/14/61.

SPECIES *Chionactis occipitalis* TAG. NO. _____

CONTAINER NO. — SEX — AGE *imm.* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE *April 11, 1960* SPEEDOMETER *34762*

LOCALITY *22 mi. E. of 29 Palms*

COUNTY [illegible] CALIF.

STANDARD TIME *1430* CLOUDS(% overcast) *100*

MOON — RELATIVE HUMIDITY(%) *20*

WIND DIRECTION *S. W.* ALTITUDE(ft.) *1400*

WIND VELOCITY(mi/hr) *9-12* ROAD TEMP. _____ °C

AIR TEMP(30 in) *25.8* °C AIR TEMP(1 cm) *27.8* °C

SOIL SURFACE TEMP *29.8* °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *0* FEET

REMARKS: *found under small log. ~ 1/2 grown — too small to get cloacal temp.*

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R37 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 7 1961 SPEEDOMETER 2995

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement. Sent to Ken Norris at UCLA.

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R29 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE June 7, 1961 SPEEDOMETER _____

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: in trap. Sent to Ken Norris at UCLA.

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. R16 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 15 1981 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught in trap - no red on snake.

Sent to Ken Norris at UCLA

SPECIES Chionactis occipitalis TAG NO. _____

CONTAINER NO. B35 SEX _____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE July 10, 1961 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 39.8 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement at dusk (sundown-1850)

SPECIES Chionactis palarostris TAG NO. _____

CONTAINER NO. B60 SEX ____ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER 2517

LOCALITY 4 mi. N. of Lukeville

COUNTY Pima Arizona ~~CALIFORNIA~~

STANDARD TIME 2040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sahuaro forest

CHASE 0 FEET

REMARKS: on pavement

SPECIES Crotalus cerastes

SACK NO. _____ SEX _____ AGE _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) _____

DATE 3/31/59 SPEEDOMETER Mileage from Hwy. 60 & 70 turnoff, going N.W. 18 mi.

LOCALITY Road parallel to Colorado River Aqueduct, along southern border of Joshua Tree Nat. Mon.

STANDARD TIME 21:00 CLOUDS None

Wet - 53.5 ; 75.5

MOON None RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E ALTITUDE(ft) ?

WIND VELOCITY (miles/hour) 1-2 TAG NO. _____

AIR TEMPERATURE 24.5 °C 20.5 °F

ROAD TEMPERATURE 20.5 °C _____ °F

SOIL SURFACE TEMPERATURE " °C _____ °F

CLOACAL TEMPERATURE - °C _____ °F

HABITAT Rocky desert, sparsely covered.

REMARKS: After once being moved by noose, it became active and difficulties in catching it became apparent. There was no striking although it did coil twice.

(Preserved for collection)

SPECIES Crotalus cerastes TAG. NO. _____

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Aug. 31, 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: uncoiled in shade of Ephedra and creosote bush, on surface of sand. Soil surface temp. at that spot – 36.0°C. After about 10 min. in sun on the sand, its cloacal temp. was 43.0°C. David Reuther kept it for his collection.

SPECIES Crotalus cerastes TAG. NO. _____

CONTAINER NO. — SEX — AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE April 11, 1960 SPEEDOMETER 34784

LOCALITY San Berdoo - Riverside G. line, 42 mi. E. of 29 Palms

COUNTY _____ CALIF.

STANDARD TIME 1745 CLOUDS(% overcast) 80

MOON — RELATIVE HUMIDITY(%) 55

WIND DIRECTION S.W. ALTITUDE(ft.) 1217

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP 22.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE — FEET

REMARKS: Seen lying stretched out full length on open sand. Sun was gone for the day behind a dense cloud mass. The car was parked within 30 feet of the spot for 25 minutes before it was seen (we were cooking dinner). Frank took the animal a couple of hundred feet away and released it.

SPECIES Crotalus ~~atrox~~ mitchelli TAG. NO. ~~#257~~

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE April 12, 1960 SPEEDOMETER 34934

LOCALITY 5 mi. S. of Palo Verde

COUNTY ~~Riv~~ Imperial CALIF.

STANDARD TIME 1630 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP 31.6 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Desert wash

CHASE 6 FEET

REMARKS: in middle of dirt road

Possessed 6 rattles and a button

Placed in Zoology 14b collection.

SPECIES Crotalus ruber TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ ~~SNOUT-VENT~~ Total LENGTH(~~mm~~ in.) 54

DATE Feb. 25, 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: under a ledge of rock, and hidden by dried perennial vegetation. At least 4 students walked within 3 feet of its hiding place before I saw it. It took at least 15 minutes to get collecting gear, but it didn't move during that time (students all around it). It never struck and rattled only after I got the noose on it. It is being preserved in an extended condition.

SPECIES Crotalus viridis TAG. NO. 249-C

CONTAINER NO. — SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-~~VENT~~ Tail LENGTH(mm) 1180 (46.5")

DATE MAY 15 1960 SPEEDOMETER _____

LOCALITY Morin Butte Campground

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 7500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 9.5 °C AIR TEMP(1 cm) 16.0 °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP _____ °C

HABITAT Yellow Pine Forest

CHASE 0 FEET

REMARKS: Under ledge on large boulder. In shade - Lying side by side with another, smaller C. viridis. A third was under another ledge within 10 ft. Laid in same spot for over 30 min after being seen and before capture. Very active and vicious when moved in spite of low temperature.

SPECIES *Hypsiglena torquata* TAG. NO. _____

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE *May 9, 1960* SPEEDOMETER *39316*

LOCALITY *11 mi. E. of Glamis*

COUNTY *Imperial* CALIF.

STANDARD TIME *2010* CLOUDS(% overcast) *0*

MOON *Full* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *0* ALTITUDE(ft.) *400*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. *32.0* °C

AIR TEMP(30 in) *28.2* °C AIR TEMP(1 cm) *30.0* °C

SOIL SURFACE TEMP *27.0* °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *desert wash*

CHASE *0* FEET

REMARKS: *on pavement — appeared to have been injured previously. Preserved at site of capture in formalin.*

SPECIES Lampropeltis getulus TAG NO. _____

CONTAINER NO. 01 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 18 1962 SPEEDOMETER _____

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class
(Striped phase)
Added to field zool. collection

Masticophis flagellum

R22 ♂ ad.

61

Apr. 25, 1959 27136

5 mi. W. of Glamis

Imperial Calif.

1210		100
—		39
S. W.		300
	1-3	
	26.5	29.5
	36.8	

sand dune

sitting on sand at edge of hole
(in sand at mouth of hole)
Reproductive organs could not be located.

SPECIES *Phyllorhynchus browni* TAG NO. _____

CONTAINER NO. *B22* SEX _____ AGE *ad.* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER *2556*

LOCALITY *3 mi. N. of Ajo*

COUNTY *Pima* CALIFORNIA

STANDARD TIME *2230* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) _____

WIND DIRECTION *0* ALTITUDE(ft) *1700*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE *0* FEET

REMARKS: *on pavement*

Phyllorhynchus decurtatus

Bottle 2 young (juv.)

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 160

DATE Aug. 23, 1958 10548

LOCALITY 1 mi. E. of eastern boundary of Anza-Borrego State Park, San Diego Co., Calif.

STARTING TIME 0120 SCOPE none

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION W ELEVATION 825

BAROMETRIC PRESSURE 5-8

AIR TEMPERATURE 29.4 °C 85 °F

ROAD TEMPERATURE 30 °C 86 °F

SOIL SURFACE TEMPERATURE 27.5 °C 81.5 °F

CLOACAL TEMPERATURE °C °F

HABITAT flat open desert; creosote, ocotillo.

REMARKS young of year

SPECIES: Phyllorhynchus decurtatus

SPECIMEN: Bottle 2 SEX: AGE: young (juv.)

WEIGHT (gms): SNOUT-VENT LENGTH (mm): 173

DATE: Aug. 23, 1958 TIME: 10553

LOCALITY: 1 mi. w. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TRIP: 0150 CAUSE: none

MOON: none RELATIVE HUMIDITY:

WIND DIRECTION: W ALTITUDE: 400

WIND VELOCITY (miles/hour): 3-5

AIR TEMPERATURE: 31.1 °C 88 °F

ROAD TEMPERATURE: 31 °C 87.8 °F

SOIL SURFACE TEMPERATURE: 29 °C 84.2 °F

CLOACAL TEMPERATURE: °C °F

HABITAT: flat, open desert.

REMARKS: young of the year

SPECIES Phyllorynchus decurtatus

SACK NO. — SEX _____ AGE imm.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) _____

DATE April 23, 1959 SPEEDOMETER 26815

LOCALITY 5 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 2040 CLOUDS 100% (thin)

MOON full RELATIVE HUMIDITY(%) 30

WIND DIRECTION E. ALTITUDE(ft) 1975

WIND VELOCITY (miles/hour) 4-7 TAG NO. _____

AIR TEMPERATURE (30") 24.9 °C (1cm) 24.0 °C

ROAD TEMPERATURE 24.0 °C _____ °F

SOIL SURFACE TEMPERATURE 23.2 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT creosote bush scrub

REMARKS: Ran over, so we threw it away. (we ran over it.)

Phyllorhynchus decurtatus

B23 imm.

April 25, 1959 27251

6 mi. N.W. of 1000 Palms

Riverside Calif.

1840 100

— 40

N.W. 760

18–20 23.0

23.0 23.0

23.0

creosote bush scrub

caught on pavement – dusk

Too young to section, so gave it away.

Phyllorhynchus decurtatus

R8 ad.

May 15, 1959 6342

5 mi. E. of Lucerne Valley

San Bernardino Calif.

2035 0

1/2 —

N.W. 3000

5-7 22

18 17.5

17

Creosote bush scrub

Found on pavement, Run over.
Dead on arrival at U.C.R. Discarded

Phyllorhynchus decurtatus
— — imm.

May 23, 1959 3229
3 mi. N.W. of 1000 Palms
Riverside Calif.
2100 0
Full —
N.W. 600
16 to 20
gusts to 32 20.0
19.6 21.8

Creosote bush scrub.

Crossing road, wind blew it twice before I could catch it. Released because it was so small.

SPECIES Phyllorhynchus decurtatus TAG. NO. _____

CONTAINER NO. B55 SEX ____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 37 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 2200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 22.0 °C

SOIL SURFACE TEMP 23.2°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On pavement. Given to Bob Roth

SPECIES Phyllorhynchus decurtatus TAG. NO. _____

CONTAINER NO. Y5 SEX ____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1980 SPEEDOMETER _____

LOCALITY 44 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.6 °C AIR TEMP(1 cm) 21.6 °C

SOIL SURFACE TEMP 21.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On pavement. Given to Bob Roth.

SPECIES Phyllorhynchus decurtatus TAG. NO. _____

CONTAINER NO. Y5 SEX ____ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 44 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) ____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.6 °C AIR TEMP(1 cm) 21.6 °C

SOIL SURFACE TEMP 21.0 °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On sand beside road. Given to Bob Roth.

SPECIES *Phyllorhynchus decurtatus* TAG NO. _____

CONTAINER NO. *B38* SEX _____ AGE *ad* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 5 1961 SPEEDOMETER *2579*

LOCALITY *21 mi. S. of Gila Bend*

COUNTY *Maricopa* *Arizona* ~~CALIFORNIA~~

STANDARD TIME *2345* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) _____

WIND DIRECTION *0* ALTITUDE(ft) *1200*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE *0* FEET

REMARKS: *on pavement. Sent to Ken Norris at UCLA.*

SPECIES Salvadora hexalepis TAG. NO. _____

CONTAINER NO. Y13 SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1635 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On Pavement. Preserved for student collection.

SPECIES *Trimorphodon lambda* TAG NO. _____

CONTAINER NO. *B24* SEX _____ AGE *ad* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 4 1967 SPEEDOMETER *2231*

LOCALITY *54* [redacted] *mi. E. of San Luis*

COUNTY *Sonora* ~~CALIFORNIA~~ *Mexico*

STANDARD TIME *2030* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) _____

WIND DIRECTION *0* ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *rocky desert slope*

CHASE *0* FEET

REMARKS: *on pavement*

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.